



Product name : RADIATOR STOP LEAK  
Ref.Nr.: SXRSL

Creation date : 29.06.18 Version: 2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

RADIATOR STOP LEAK

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Additives

### 1.3. Details of the supplier of the safety data sheet

Central Solutions (GB) Ltd  
Sol-X House  
Windmill Lane, Norton  
Doncaster, DN6 9AT  
Tel.: +44(0)1302 708895  
Fax.: +44(0)1302 708895  
E-mail : info@solxsolutions.com

### 1.4. Emergency telephone number

Tel.: +44(0)1302 708895 , available during regular office hours

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

<b>Physical:</b>	Not classified
Classification is based on test data.	
<b>Health:</b>	Not classified
Classification based on calculation method.	
<b>Environment:</b>	Not classified
Classification based on calculation method.	
<b>Other hazards :</b>	Contains: 1,2-benzisothiazol-3(2H)-one May produce an allergic reaction.
<b>Other hazards :</b>	Not classified

### 2.2. Label elements

#### Labelling according to Regulation (EC) No 1272/2008

**Productname :** RADIATOR STOP  
LEAK  
**Ref.Nr.:** SXRSL

**Creationdate :** 29.06.18 Version: 2

None

**Precautionary statement(s):** P102 : Keep out of reach of children.  
P280 : Wear protective gloves/protective clothing/eye protection/face protection.  
P501-2 : Dispose of contents/container to an authorised waste collection point.

**Supplemental Hazard information:** Contains:  
1,2-benzisothiazol-3(2H)-one  
May produce an allergic reaction.

### 2.3. Other hazards

No information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.

### 3.2. Mixtures

Hazardous ingredient	Registration number	CAS-nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
potassium hydroxide; caustic potash	01-2119487136-33	1310-58-3	215-181-3	<0.5	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1A	H290,H302,H314	B
1,2-benzisothiazol-3(2H)-one	-	2634-33-5	220-120-9	<0.1	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1	H302,H315,H318,H317,H400	X
<b>Explanation notes</b>							
B : substance with national established workplace exposure limit							
X : SCL (specific concentration limit)in accordance with art.10 of CLP Regulation No 1272/2008							

(\* Explanation phrases : see chapter 16)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Contact with eyes :</b>	If substance has got into eyes, immediately wash out with plenty of water for several minutes Seek medical attention if irritation persists
<b>Contact with skin :</b>	Wash with water and soap. Seek medical attention if irritation persists
<b>Inhalation :</b>	Fresh air, keep warm and at rest. Seek medical attention if ill effects occur
<b>Ingestion :</b>	If swallowed do not induce vomiting Seek medical advice

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation :</b>	Inhalation of solvent vapours may give rise to nausea, headaches and dizziness
<b>Ingestion :</b>	May cause gastrointestinal disturbances

**Productname :** RADIATOR STOP  
LEAK  
**Ref.Nr.:** SXRSL

**Creationdate :** 29.06.18 Version: 2

<b>Skin contact :</b>	May produce an allergic reaction. May cause irritation. Symptoms : redness and pain
<b>Eye contact :</b>	May cause irritation. Symptoms : redness and pain

#### 4.3. Indication of any immediate medical attention and special treatment needed

**General Advice :** If you feel unwell, seek medical advice (show the label where possible)  
If symptoms persist always call a doctor

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

foam, carbon dioxide or dry agent

#### 5.2. Special hazards arising from the substance or mixture

Forms hazardous decomposition products  
CO,CO2

#### 5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water  
In case of fire, do not breathe fumes

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources  
Ensure adequate ventilation  
Wear suitable protective clothing including eye/face protection.

#### 6.2. Environmental precautions

Do not allow to enter public sewers and watercourses  
If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

#### 6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

#### 6.4. Reference to other sections

For further information see section 8

### SECTION 7: Handling and storage

**Productname :** RADIATOR STOP LEAK  
**Ref.Nr.:** SXRSL

**Creationdate :** 29.06.18 Version: 2

### 7.1. Precautions for safe handling

Use only in well ventilated areas  
 Avoid contact with skin and eyes.  
 Wash thoroughly after use  
 Wear protective gloves/protective clothing/eye protection/face protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated place  
 Keep out of reach of children.

### 7.3. Specific end use(s)

Additives

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits :

Hazardous ingredient	CAS-nr.	method	
<b>National established exposure limits, United Kingdom</b>			
potassium hydroxide; caustic potash	1310-58-3	STEL	2 mg/m3

### 8.2. Exposure controls

<b>Control procedures :</b>	Ensure adequate ventilation
<b>Personal protection :</b>	Take precautions to avoid contact with skin and eyes when handling the product. It is good practice to wear gloves and to provide adequate ventilation whenever using the product. In all cases handle and use the product in accordance with good industrial hygiene practices.
<b>inhalation :</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
recommended respiratory protection:	Air purifying respirator equipped with organic gas/vapor cartridge (type A)
<b>hands and skin :</b>	If handled correctly skin exposure will be accidental. In such case the use of disposable gloves should be sufficient provided they are changed immediately after a splash or spill may occur. If intentional contact is expected reusable gloves should be used with a breakthrough time greater than the total duration of the product use.
Recommended gloves:	Nitrile
<b>eyes :</b>	Wear safety eyewear according to EN 166.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Productname :** RADIATOR STOP LEAK  
**Ref.Nr.:** SXRSL

**Creationdate :** 29.06.18 Version: 2

<b>Apperance : physical state :</b>	Liquid.
<b>colour :</b>	Brown.
<b>odour :</b>	Characteristic odor.
<b>pH :</b>	6 - 8
<b>Boiling point/range :</b>	> 100 °C
<b>Flash point :</b>	none
<b>Evaporation rate :</b>	Not available.
<b>Explosion limits : upper limit :</b>	Not available.
<b>lower limit :</b>	Not available.
<b>Vapour pressure :</b>	Not available.
<b>Relative density :</b>	1.025 g/cm <sup>3</sup> (@ 20°C).
<b>Solubility in water :</b>	Soluble in water
<b>Auto-ignition :</b>	> 200 °C

## 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions known if used for its intended purpose

### 10.2. Chemical stability

Stable

### 10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

### 10.4. Conditions to avoid

Avoid overheating

### 10.5. Incompatible materials

Strong oxidising agent

### 10.6. Hazardous decomposition products

CO,CO<sub>2</sub>

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>acute toxicity:</b>	based on available data the classification criteria are not met
<b>skin corrosion/irritation:</b>	based on available data the classification criteria are not met

**Productname :** RADIATOR STOP  
LEAK  
**Ref.Nr.:** SXRSL

**Creationdate :** 29.06.18 Version: 2

<b>serious eye damage/irritation:</b>	based on available data the classification criteria are not met
<b>respiratory or skin sensitisation:</b>	based on available data the classification criteria are not met
<b>germ cell mutagenicity:</b>	based on available data the classification criteria are not met
<b>carcinogenicity:</b>	based on available data the classification criteria are not met
<b>toxicity for reproduction:</b>	based on available data the classification criteria are not met
<b>STOT-single exposure:</b>	based on available data the classification criteria are not met
<b>STOT repeated exposure:</b>	based on available data the classification criteria are not met
<b>aspiration hazard:</b>	based on available data the classification criteria are not met

#### Information on likely routes of exposure:

<b>Inhalation :</b>	Inhalation of solvent vapours may give rise to nausea, headaches and dizziness
<b>Ingestion :</b>	May cause gastrointestinal disturbances
<b>Skin contact :</b>	May cause irritation. May produce an allergic reaction.
<b>Eye contact :</b>	May cause irritation.

#### Toxicological data :

Hazardous ingredient	CAS-nr.	method	
potassium hydroxide; caustic potash	1310-58-3	LD50 oral rat	333 mg/kg

## SECTION 12: Ecological information

### 12.1. Toxicity

Not classified

### Ecotoxicological data:

Hazardous ingredient	CAS-nr.	method	
potassium hydroxide; caustic potash	1310-58-3	LC50 fish	80 mg/l

### 12.2. Persistence and degradability

No experimental data available

### 12.3. Bioaccumulative potential

No experimental data available

### 12.4. Mobility in soil

Soluble in water

### 12.5. Results of PBT and vPvB assessment

Productname : RADIATOR STOP LEAK  
Ref.Nr.: SXRSL

Creationdate : 29.06.18 Version: 2

No information available

#### 12.6. Other adverse effects

No experimental data available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product :	This material and its container must be disposed of in a safe way. Do not discharge into drains or the environment, dispose to an authorised waste collection point.
National regulations :	Disposal should be in accordance with local, state or national legislation

### SECTION 14: Transport information

#### 14.1. UN number

UN-number : Not classified as hazardous for transport

#### 14.2. UN proper shipping name

Proper shipping name: Not applicable.

#### 14.3. Transport hazard class(es)

Class:	Not applicable.
ADR/RID - Classification code:	Not applicable.

#### 14.4. Packing group

Packing group: Not applicable.

#### 14.5. Environmental hazards

ADR/RID - Environmentally hazardous:	No
IMDG - Marine pollutant:	No
IATA/ICAO - Environmentally hazardous:	No

#### 14.6. Special precautions for user

ADR/RID - Tunnelcode:	Not applicable.
IMDG - Ems:	Not applicable.
IATA/ICAO - PAX:	Not applicable.
IATA/ICAO - CAO	Not applicable.

Productname : RADIATOR STOP LEAK  
Ref.Nr.: SXRSL

Creationdate : 29.06.18 Version: 2

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.  
Regulation (EC) No 1907/2006 (REACH)  
Regulation (EC) No 1272/2008 (CLP)

#### 15.2. Chemical safety assessment

No information available

### SECTION 16: Other information

\*Explanation hazard statements: H290 : May be corrosive to metals.  
H302 : Harmful if swallowed.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H400 : Very toxic to aquatic life.

REVISIONS IN CHAPTRE : 8.2. Exposure controls  
acronyms and synonyms: TWA = time weight average  
STEL = short time exposure limit  
VOC = volatile organic compounds  
PBT = persistant bioaccumulative toxic  
vPvB = very persitant very bioaccumulative

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from us.